

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/838,862	04/20/2001	Tarek Abd Elazim Ramadan	A32562-070050.1370	1418	
75	90 08/24/2005		EXAMINER		
BAKER BOT	TS L.L.P		RAHLL, J	RAHLL, JERRY T	
44TH FLOOR ART UNIT		PAPER NUMBER			
30 ROCKEFELLER PLAZA NEW YORK, NY 10112-4498			2874		

DATE MAILED: 08/24/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

			AK	
	Application No.	Applicant(s)		
	09/838,862	RAMADAN, TAREK A	RAMADAN, TAREK ABD ELAZIM	
Office Action Summary	Examiner	Art Unit		
	Jerry T. Rahli	2874		
The MAILING DATE of this communication a Period for Reply	appears on the cover sheet wi	th the correspondence addres	S	
	DIVIS SET TO EVDIDE AM	ONTH/S) EDOM		
A SHORTENED STATUTORY PERIOD FOR REF THE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a ref - If NO period for reply is specified above, the maximum statutory peri - Failure to reply within the set or extended period for reply will, by state Any reply received by the Office later than three months after the may earned patent term adjustment. See 37 CFR 1.704(b).	N. 1.136(a). In no event, however, may a re- reply within the statutory minimum of thirt od will apply and will expire SIX (6) MON tute, cause the application to become AB	eply be timely filed y (30) days will be considered timely. THS from the mailing date of this commul ANDONED (35 U.S.C. § 133).	nication.	
Status				
1) Responsive to communication(s) filed on 10) August 2005.			
, , , , , , , , , , , , , , , , , , , ,	his action is non-final.			
3) Since this application is in condition for allow	vance except for formal matt	ers, prosecution as to the me	rits is	
closed in accordance with the practice unde	er <i>Ex parte Quayl</i> e, 1935 C.D	. 11, 453 O.G. 213.		
Disposition of Claims				
4)⊠ Claim(s) <u>1-20 and 30</u> is/are pending in the a	application.			
4a) Of the above claim(s) is/are withd				
5) Claim(s) is/are allowed.				
6)⊠ Claim(s) <u>1-20 and 30</u> is/are rejected.			•	
7) Claim(s) is/are objected to.				
8) Claim(s) are subject to restriction and	d/or election requirement.			
Application Papers				
9) The specification is objected to by the Exami	iner.			
10) The drawing(s) filed on 10 August 2005 is/ar		jected to by the Examiner.		
Applicant may not request that any objection to the		·		
Replacement drawing sheet(s) including the corr	ection is required if the drawing(s) is objected to. See 37 CFR 1.	121(d).	
11)⊠ The oath or declaration is objected to by the	Examiner. Note the attached	Office Action or form PTO-1	52.	
Priority under 35 U.S.C. § 119				
`12) ☐ Acknowledgment is made of a claim for forei	gn priority under 35 U.S.C. §	119(a)-(d) or (f).		
a)□ All b)□ Some * c)□ None of:	•			
1. Certified copies of the priority docume	ents have been received.			
2. Certified copies of the priority docume	ents have been received in A	pplication No		
Copies of the certified copies of the p	riority documents have been	received in this National Stag	je	
application from the International Bure				
* See the attached detailed Office action for a li	ist of the certified copies not	received.		
Attachment(s)				
Notice of References Cited (PTO-892)		ummary (PTO-413)		
 Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0 Paper No(s)/Mail Date 7/25/01:8/10/05 	_)/Mail Date formal Patent Application (PTO-152)	

Application/Control Number: 09/838,862

Art Unit: 2874

DETAILED ACTION

Page 2

Oath/Declaration

1. The oath or declaration is defective. A new oath or declaration in compliance with 37 CFR 1.67(a) identifying this application by application number and filing date is required. See MPEP §§ 602.01 and 602.02.

2. The oath or declaration is defective because it lists priority to provisional application 06/156,210. This is incorrect. Also, the examiner notes that a reference to any prior application must be inserted as the first sentence(s) of the specification of this application or in an application data sheet (37 CFR 1.76), if applicant intends to rely on the filing date of the prior application under 35 U.S.C. 119(e) or 120. See 37 CFR 1.78(a).

Drawings

3. The drawings submitted 10 August 2005 have been reviewed and determined to facilitate understanding of the invention. The drawings are accepted as submitted.

Information Disclosure Statement

- 4. The information disclosure statements (IDS's) submitted on 25 July 2001 and 10 August 2005 are in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement is being considered by the examiner.
- 5. However, the information disclosure statements fail to comply with 37 CFR 1.98(a)(2), which requires a legible copy of each cited foreign patent document; each non-patent literature publication or that portion which caused it to be listed; and all other information or that portion which caused it to be listed. It has been placed in the application file, but the lined-through information referred to therein has not been considered (note attached copies).

Application/Control Number: 09/838,862 Page 3

Art Unit: 2874

Claim Rejections - 35 USC § 102

6. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 7. Claims 1-20 and 30 are rejected under 35 U.S.C. 102(b) as being anticipated by "A Novel 1x4 Coupler-Multiplexer Permutation Switch for WDM Applications" by Ramadan et al.
- 8. Ramadan et al describes a permutation switch for switching wavelength-division multiplexed signals received from one or more optical waveguides, comprising a substrate having at least one surface (See Figure 1) and a single-mode to multi-mode backward coupler, coupled to said surface of said substrate, for receiving single-mode wavelength division multiplexed signals from said optical waveguides, and for backward coupling said signals into a plurality of single-mode signals, each having its own unique mode (see Figure 1)
- 9. Ramadan et al. further describes a receiving layer, coupled to said substrate surface, for receiving said single-mode wavelength-division multiplexed signals, a separation layer having a first surface and a second surface, with the first surface coupled to said receiving layer, for permitting said backward coupling between said single-mode wavelength-division multiplexed signal and said plurality of single-mode signals and a multi-mode waveguide, coupled to said second surface of said separation layer, for receiving said backward coupled plurality of single-mode signals (see Figure 1).
- 10. Ramadan et al. further describes the separation layer further comprises a grating portion etched into said second surface of said separation layer, for phase-matching a channel of the

wavelength-division multiplexed signal to one of said plurality of single-mode signals (see Figure 1).

- 11. Ramadan et al. further describes the signals comprising asynchronous signals (see Page 582).
- 12. Ramadan et al. further describes the separation layer is adapted to minimize modal-field overlap (see Pages 579-580).
- 13. Ramadan et al. further describes the single-mode to multi-mode backward coupler further comprises a plurality of output waveguides, each coupled to the multi-mode waveguide and receiving one of the plurality of single-mode signals (see Figure 1).
- 14. Ramadan et al. further describes the plurality of output waveguides as distributed adiabatically (se Page 582).
- 15. Ramadan et al. further describes the said receiving layer further includes an inverted rib portion having a predetermined width for propagating the single-mode wavelength division multiplexed signals (see Figure 1).
- 16. Ramadan et al. further describes the multi-mode waveguide further includes a rib portion having a predetermined width, and wherein the predetermined width of the inverted rib of the receiving layer is less than said predetermined width of the rib of said multi-mode waveguide (see Figure 1).
- 17. Ramadan et al. further describes the inverted rib portion of said receiving layer is offset from said rib portion of said multi-mode waveguide (see Figure 1).
- 18. Ramadan et al. further describes the inverted rib portion of said receiving layer aligned with an edge of said rib portion of said multi-mode waveguide (see Figure 1 and Page 580).

19. Ramadan et al. further describes each of said output waveguides further includes a multiple-quantum well layer (see Page 579).

- 20. Ramadan et al. further describes the multiple quantum well layer comprises InGaAsp/InP (see Figure 1).
- 21. Ramadan et al. further describes a plurality of tapered electrodes, each one mounted on one of said plurality of output waveguides (see figure 1).
- 22. Ramadan et al. further describes the output waveguides sized to be much smaller than corresponding absorption lengths (see Page 582).
- 23. Ramadan et al. further describes the multi-mode layer adapted to receive all of the backward-coupled signals in sequential modes (see Pages 580-581).
- 24. Ramadan et al. further describes the multi-mode layer adapted to receive all of the backward-coupled signals in even-ordered modes (see Pages 580-581).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jerry T. Rahll whose telephone number is (571) 272-2356. The examiner can normally be reached on M-Th (8:30-5:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rodney Bovernick can be reached on (571) 272-2344. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/838,862

Art Unit: 2874

Page 6

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jerry T Rahll

AKM ENAYET ULLAH PRIMARY EXAMINER